



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	1765	5385	77000
RG - 6	2240	6830	84000
RG - 11	4900	14950	119000
RG-6 CCS	1595	4865	72500
RG-11 CCS	3280	10000	109000

POLYCAB LAN (COMPUTER) CABLES

Polycab 4 Pair Unshielded Twisted Pair (UTP) LAN (Computer) Cables

Polycab 4 Pair Shielded Twisted Pair (STP) LAN (Computer) Cables

	Unarmoured - Rate per 305 m	Flexible Armoured- Rate per 1000m	Unarmoured - Rate per 305 m	Flexible Armoured- Rate per 1000m
CAT 5 E	8175	87000	10100	99000
CAT 6	8925	98175	11350	108000



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD)CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Rate / 100m (Rs.)		
	0.4 mm	0.5 mm	Master Packing
1 Pair	635	765	20
2 Pair	1080	1320	20
3 Pair	1445	1955	16
4 Pair	1775	2560	12
5 Pair	2225	3195	8
10 Pair		6110	1
20 Pair		12200	1
50 Pair		34000	1
100 Pair		65300	1

ARMOURED TELEPHONE CABLES

No. of Pairs	Rate / 100m (0.5mm)	Master Packing
2 Pair	6500	Drums/Coils as required
5 Pair	10300	Drums/Coils as required
10 Pair	15000	Drums/Coils as required
20 Pair	19100	Drums/Coils as required
50 Pair	45000	Drums/Coils as required
100 Pair	89000	Drums/Coils as required

POLYCAB IND. 3C FLAT SUBMERSIBLE CABLES

Polycab PVC Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/1990

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Cables (No./dia mm)	Rate per 100m (Rs)
1.5	22/.3	6565
2.5	36/.3	10600
4	56/.3	15400

Polycab Special PVC Insulated & PVC Sheathed Industrial 3 Core Flat Submersible Cables with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade Grade 1100 Volts generally conforming to IS 694/1990.

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Cables (No./dia mm)	Rate per 100m (Rs)
6	84/0.3	23900
10	80/0.4	41000
16	126/0.4	67300
25	196/0.4	107500
35	276/.4	150800
50	396/.4	215800
70	354/.5	300400
95		388000
120		496000
150		618000

Notes :

2) Polycab Three Core Flat Submersible Cables Insulated & Sheathed with XLPE can be supplied at the same rates as given above.



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

Polycab FR Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:1990 with Flexible Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Polycab PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade 1100 Volts as per IS: 694:1990

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	(Rate/100m)							
			Single Core	Packing	2 Core	3 Core	4 Core	2 - 4 Core Packing	5 Core	6 Core
0.5	16/.2	5	655	25	1955	2620	3375	4	4365	5165
0.75	24/.2	8	930	25	2605	3545	4410	4	6110	7480
1	32/.2	13	1220	20	3180	4340	5570	4	8050	9420
1.5	30/.25	17	1755	16	4245	5925	7790	4	10700	12900
2.5	50/.25	24	2890	12	6830	9575	12400	3	17400	20800
4	56/.3	30	4485	8	10400	14800	19200		26700	33400
6	84/.3	38	6495	6	14900	21600	28000		41100	49200
10	80/.4	52	11100	1	25800	37400	48300		70000	
16	126/.4	70	18200	1	41800	60500	79600		111500	
25	196/.4	88	29200	1	80300	109300	143700		186800	
35	276/.4	110	39900	1	109800	151500	198700		258200	
50	396/.4	145	57200	1	158900	215800	288600		374100	
70	354/.5	215	79300	1	226500	310300	403100		521900	
95	484/.5	260	109300	1	305800	425000	561200		720200	
120	608/.5	305	139400	1	386800	539400	723600		935300	
150	750/.5	355	174500	1	483000	669900	884700		1145700	
185	925/.5	415	214800	1	595400	813900	1078800		1398300	
240	1210/.5	500	279500	1	772900	1074000	1419300		1842300	
300	1527/.5	585	348600	1	965800	1339200	1775300		2291100	
400	2036/.5	695	474200	1	1287900	1763300	2337000		3039300	



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cable conforming to IS 694:1990 with Flexible Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Rate Per 100 Mtrs. Coil			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	5920	6985	8640	10200
0.75	24/.2	8	8050	10000	12000	14400
1	32/.2	13	10800	12500	15200	18300
1.5	30/.25	17	14700	17100	21200	25300
2.5	50/.25	24	23700	27700	34500	41100
4	56/.3	30	43200	49400	62600	76900
6	84/0.3	37	57500			

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Rate Per 100 Mtrs. Coil			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	11700	13200	15400	19800
0.75	24/.2	8	16600	19000	22400	28300
1	32/.2	13	21400	24100	28800	36200
1.5	30/.25	17	29400	32900	39200	49500
2.5	50/.25	24	47600	54600	63800	80000

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables				Rate/ 100m	CCTV Cables Rate/90m	
Nominal Area	No/Dia of Strands	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring	CCTV Cables 4+1	CCTV Cables 3+1
mm ²	No/mm		Rs	Rs	4020	3540
4	56/0.3	44			CCTV Armoured Cables Rate/Km.	
6	84/0.3	55	8500	11700		
10	80/0.4	75	14300	19900	CCTV 4+1 Armoured	105000
16	126/0.4	103	21500	24900		
25	196/0.4	126	33700	38300		
35	276/0.4	152	46100	51300		
50	396/0.4	189	64600	71300	Fire Alarm System Arm Cables (Rate/Mtr.)	
70	354/0.5	240	89100	98000	2 c x 1 Sq.mm. (Red)	82
95	484/0.5	297	120400	125700	2 c x 1.5 Sq.mm. (Red)	94
120	608/0.5	346	152400	159100		
150	750/0.5	390	190500	198900		
185	925/0.5	460	232300	239700		
240	1210/0.5	552	301900	316200		
300	1527/0.5	640	376500	397600		
400	2036/0.5	753	502100	527100		



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

Polycab FRLS Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:1990 with Flexible Bright Annealed Copper Conductor for Voltage Grade 1100 Volts				Polycab PVC Insulated and FRLS Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade 1100 Volts as per IS: 694:1990		
Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Single Core (Rate/100m)	(Rate/100m)		
				Two Core	Three Core	Four Core
0.5	16/.2	5	710	2075	2900	3695
0.75	24/.2	8	985	2805	3880	5030
1	32/.2	13	1290	3445	4800	6265
1.5	30/.25	17	1860	4565	6415	8640
2.5	50/.25	24	3080	7325	10400	13500
4	56/.3	30	4830	11300	16200	21500
6	84/.3	38	6850	16600	23500	31400
10	80/.4	52	11700	28100	41000	53900
16	126/.4	70	19300	45700	66200	87300
25	196/.4	88	30800	88200	121900	160300
35	276/.4	110	42500	120000	168900	221400
50	396/.4	145	60700	174200	240200	321700
70	354/.5	215	84200	247900	345500	449300
95	484/.5	260	116100	336100	467500	617300
120	608/.5	305	148200	425700	593300	795800
150	750/.5	355	185200	531000	736900	973200
185	925/.5	415	228300	655000	895300	1186700
240	1210/.5	500	296200	850100	1181500	1561200
300	1527/.5	585	370300	1062500	1473000	1953000
400	2036/.5	695	503400	1416600	1939600	2570700



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB SOLAR WIRES / CABLES

Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables

Flexible Bare Copper Conductor Multistrand XLPE / PVC Insulated and UV Stabilized PVC Sheathed Single Core and Multicore Solar Cables

Size in sq mm	Rate Per 100m
1.5	3370
2.5	4660
4	6600
6	8875
10	14000
16	20600
25	32100
35	43600
50	62500
70	86500
95	109900

Size in sq mm	Rate Per 100m
1.5	2000
2.5	3255
4	4950
6	7100
10	12000
16	18200
25	28200
35	39100
50	56100
70	77900
95	106100
120	131700
150	163600
185	208700
2 C x 16	39900
2 C x 25	61600

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	4300	5300	6100	7500	10800
3	5400	6700	7900	9800	14800
4	6600	8400	9800	12600	19100
5	7900	9800	11800	15300	23200
6	9000	11600	14100	18200	27800
7	9800	12900	15800	20200	31200
8	11200	14800	18000	23000	35600
10	13400	17900	21700	28700	44300
12	15800	21000	25800	33700	52400
14	17900	24200	29600	38900	60400
16	20200	27200	32800	44300	69300
19	23700	31800	39100	52000	80600
24	29200	40300	49100	63400	100600

Note : 3% Extra Charges for Drum Packing



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Rate per 100 Mtr)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)	4 sq.mm. (56/.3)	6 sq mm (84/.3)	10 sq.mm	16 sq.mm	25 sq mm	35 sq.mm.	50 sq.mm.
2	6300	7300	8200	10400	15200	22000	30800	59500	99000			
3	7300	8800	9400	13200	18800	29100	35700	74600	116600	157100	218000	285100
4	8800	10800	12100	16600	25500	35700	51800	106500	170200	227900	288800	410600
5	10500	14600	16400	20500	29500							
6	12100	15800	17900	23700	35400							
7	13000	17100	19100	25400	41000							
8	15500	20100	22500	29000	46400							
10	18600	24600	28900	36700	54000							
12	21100	27700	34200	43000	60100							
14	23100	31500	39200	50300	69800							
16	26700	34800	50000	55200	80400							
19	30600	40800	55000	65600	110400							
24	38000	48400	60500	80900	134500							



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB MULTICORE STEEL BRAIDED CABLES (Rate / 100 M)

Flex Bare Copper Conductor, PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables.

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	2 Core	3 Core	4 Core	Core	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
1.5	30/.25	9300	12300	15900	5	18900	29100
2.5	50/.25	13800	18600	23700	6	22000	34200
4	56/.3	20100	26800	35000	7	25000	39200
6	84/.3	28200	38400	49600	8	28300	43200
10	80/.4	41400	57400	76200	9	31100	47800
16	126/.4	62700	87800	115000	10	34100	53000
25	196/.4	94700	134500	177500	12	39700	62700
35	276/.4	130100	184900	243600	15	48900	77700
50	396/.4	182500	261500	345700	16	51800	82500
70	354/.5	274500	395000	523700	18	57600	91800
95	484/.5	370200	533800	709400	19	61600	96400
120	608/.5	461000	666300	885200	21	67200	106000
150	750/.5	575100	832100	1104900	24	75900	119900
185	925/.5	715700	1025600	1360600			
240	1210/.5	915400	1328000	1764900			
300	1527/.5	1142200	1658400	2205900			

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Rate per 90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	1700	23/38	1200	0.5 Sq.mm	1635	1.5 Sq.mm	4305
40/36	2680	40/38	2005	0.75 Sq.mm	2350	2 Sq.mm	6020
70/36	4685	70/38	3140	1 Sq.mm	2965	2.5 Sq.mm	7030

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAB INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor Welding Cable 1100 Volts as per IS-9857 (Rate per 100 mtr)

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	TPR Insulation Rate/100m (Rs)
16	120	509/0.2	24900
25	160	796/0.2	35700
35	230	1115/0.2	48600
50	400	703/0.3	68800
70	600	999/0.3	98100
95	700	1346/0.3	129700
120	1100	1699/0.3	166300



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB ALUMINIUM WIRES & CABLES

POLYCAB <u>SINGLE CORE</u> PVC INSULATED 1100 VOLTS <u>SOLID</u> ALUMINIUM CONDUCTOR WIRES AS PER IS 694		POLYCAB <u>SINGLE CORE</u> PVC INSULATED 1100 VOLTS <u>STRANDED</u> ALUMINIUM CONDUCTOR WIRES AS PER IS 694		POLYCAB PVC INSULATED AND SHEATHED <u>TWIN CORE</u> & <u>THREE CORE</u> FLAT CABLES 1100 VOLTS EACH CORE HAVING SINGLE <u>STRANDED</u> ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694		
SQ.MM	RATE/ 100M	SQ.MM	RATE/ 100M	NO.OF CORES	SQ.MM	RATE/ 100M
1.5	420	1.5	430	2	1.5	1565
2.5	650	2.5	660	2	2.5	2215
4	855	4	895	2	4	3125
6	1300	6	1340	2	6	4085
10	1930	10	2010	2	10	6340
POLYCAB <u>SINGLE CORE</u> PVC INSULATED & <u>SHEATHED</u> 1100 VOLTS <u>STRANDED</u> ALUMINIUM CONDUCTOR WIRES AS PER IS 694		16	2890	2	16	8400
		25	4500	2	25	11900
		35	6070	2	35	15200
		50	8150	2	50	19300
SQ.MM	RATE/ 100M	70	10900	2	1.5	2100
1.5	640	95	12700	3	2.5	3200
2.5	790	120	18400	3	4	4400
4	1505	150	22900	3	6	6200
6	2050	185	28400	3	10	9000
10	2805	240	37000	3	16	12300
16	3990	300	46100	3	25	17200
25	5810	400	59200	3	35	22400
35	7410	500	75300	3	50	28400
50	9820	630	95400	POLYCAB <u>XLPE</u> INSULATED AND <u>PVC</u> SHEATHED CABLE WITH EACH CORE HAVING STRANDED ALUMINIUM CONDUCTOR SERVICE CABLES GENERALLY CONFORMING TO IS 694.		
POLYCAB PVC INSULATED AND SHEATHED <u>TWIN CORE</u> & <u>THREE CORE</u> FLAT CABLES 1100 VOLTS EACH CORE HAVING SINGLE <u>SOLID</u> ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694				NO.OF CORES	SQ.MM	RATE/100M
NO.OF CORES	SQ.MM	RATE/ 100M		2	4	2890
2	1.5	1450		2	6	4105
2	2.5	2120		2	10	5100
2	4	2890		2	16	7430
2	6	4015				
2	10	6165				
3	1.5	2010				
3	2.5	3125				
3	4	4530				
3	6	5725				
3	10	8795				



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire)
Round/Strip Armoured PVC Outer Sheathed Instrumentation

OVERALL SHIELDED - ARMoured INSTRUMENTATIION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
CORE	2	0.5	71	0.75	82	1	93	1.5	110	2.5	151
CORE	3	0.5	88	0.75	100	1	121	1.5	142	2.5	191
CORE	4	0.5	98	0.75	121	1	142	1.5	161	2.5	242
CORE	5	0.5	110	0.75	132	1	161	1.5	191	2.5	284
CORE	6	0.5	121	0.75	151	1	182	1.5	222	2.5	332
CORE	7	0.5	132	0.75	161	1	191	1.5	252	2.5	372
CORE	8	0.5	151	0.75	182	1	213	1.5	284	2.5	414
CORE	10	0.5	173	0.75	213	1	273	1.5	332	2.5	504
CORE	12	0.5	191	0.75	242	1	303	1.5	393	2.5	606
CORE	14	0.5	213	0.75	273	1	344	1.5	446	2.5	677
CORE	16	0.5	242	0.75	303	1	383	1.5	504	2.5	766
CORE	19	0.5	273	0.75	344	1	446	1.5	576	2.5	878
CORE	24	0.5	323	0.75	423	1	546	1.5	717	2.5	1099
PAIR	1	0.5	71	0.75	82	1	93	1.5	110	2.5	151
PAIR	2	0.5	110	0.75	132	1	151	1.5	182	2.5	252
PAIR	3	0.5	132	0.75	151	1	182	1.5	232	2.5	344
PAIR	4	0.5	151	0.75	182	1	232	1.5	293	2.5	423
PAIR	5	0.5	173	0.75	213	1	273	1.5	352	2.5	514
PAIR	6	0.5	191	0.75	252	1	312	1.5	405	2.5	606
PAIR	7	0.5	213	0.75	284	1	352	1.5	454	2.5	686
PAIR	8	0.5	252	0.75	312	1	405	1.5	524	2.5	787
PAIR	10	0.5	293	0.75	383	1	484	1.5	627	2.5	958
PAIR	12	0.5	332	0.75	435	1	554	1.5	736	2.5	1110
PAIR	14	0.5	372	0.75	494	1	634	1.5	837	2.5	1280
PAIR	16	0.5	423	0.75	554	1	707	1.5	949	2.5	1464
PAIR	19	0.5	474	0.75	645	1	837	1.5	1099	2.5	1695
PAIR	24	0.5	586	0.75	796	1	1030	1.5	1381	2.5	2129
TRIAD	1	0.5	88	0.75	100	1	121	1.5	142	2.5	191
TRIAD	2	0.5	157	0.75	173	1	206	1.5	243	2.5	343
TRIAD	3	0.5	190	0.75	216	1	264	1.5	319	2.5	462
TRIAD	4	0.5	229	0.75	264	1	324	1.5	401	2.5	580
TRIAD	5	0.5	267	0.75	311	1	388	1.5	480	2.5	703
TRIAD	6	0.5	308	0.75	361	1	452	1.5	552	2.5	833
TRIAD	7	0.5	339	0.75	401	1	505	1.5	623	2.5	946
TRIAD	8	0.5	383	0.75	440	1	568	1.5	712	2.5	1077
TRIAD	10	0.5	453	0.75	544	1	687	1.5	872	2.5	1325
TRIAD	12	0.5	514	0.75	622	1	801	1.5	1018	2.5	1560
TRIAD	14	0.5	583	0.75	710	1	917	1.5	1168	2.5	1801
TRIAD	16	0.5	646	0.75	797	1	1034	1.5	1319	2.5	2042
TRIAD	19	0.5	744	0.75	917	1	1196	1.5	1541	2.5	2393
TRIAD	24	0.5	925	0.75	1143	1	1494	1.5	1947	2.5	3013
QUAD	1	0.5	98	0.75	121	1	142	1.5	161	2.5	230



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED - UNARMOURED INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	1	0.5	46	0.75	55	1	66	1.5	77	2.5	109
PAIR	2	0.5	72	0.75	88	1	109	1.5	151	2.5	207
PAIR	3	0.5	93	0.75	119	1	151	1.5	196	2.5	294
PAIR	4	0.5	109	0.75	151	1	196	1.5	250	2.5	381
PAIR	5	0.5	142	0.75	185	1	273	1.5	304	2.5	469
PAIR	6	0.5	163	0.75	207	1	294	1.5	370	2.5	554
PAIR	7	0.5	175	0.75	239	1	304	1.5	412	2.5	641
PAIR	8	0.5	196	0.75	262	1	359	1.5	469	2.5	728
PAIR	10	0.5	239	0.75	338	1	435	1.5	587	2.5	913
PAIR	12	0.5	284	0.75	390	1	512	1.5	696	2.5	1076
PAIR	14	0.5	315	0.75	447	1	587	1.5	794	2.5	1239
PAIR	16	0.5	370	0.75	499	1	674	1.5	913	2.5	1412
PAIR	19	0.5	424	0.75	596	1	782	1.5	1065	2.5	1662
PAIR	24	0.5	522	0.75	739	1	977	1.5	1337	2.5	2107
TRIAD	1	0.5	61	0.75	69	1	85	1.5	107	2.5	156
TRIAD	2	0.5	101	0.75	121	1	152	1.5	197	2.5	293
TRIAD	3	0.5	133	0.75	164	1	208	1.5	273	2.5	413
TRIAD	4	0.5	165	0.75	206	1	266	1.5	350	2.5	539
TRIAD	5	0.5	199	0.75	249	1	324	1.5	431	2.5	671
TRIAD	6	0.5	232	0.75	294	1	383	1.5	512	2.5	795
TRIAD	7	0.5	262	0.75	332	1	436	1.5	585	2.5	914
TRIAD	8	0.5	298	0.75	380	1	497	1.5	674	2.5	1042
TRIAD	10	0.5	364	0.75	467	1	621	1.5	834	2.5	1294
TRIAD	12	0.5	424	0.75	554	1	730	1.5	986	2.5	1536
TRIAD	14	0.5	485	0.75	636	1	843	1.5	1139	2.5	1779
TRIAD	16	0.5	555	0.75	721	1	955	1.5	1294	2.5	2033
TRIAD	19	0.5	648	0.75	844	1	1121	1.5	1521	2.5	2398
TRIAD	24	0.5	809	0.75	1058	1	1406	1.5	1925	2.5	3018
QUAD	1	0.5	66	0.75	81	1	105	1.5	142	2.5	207

**POLYCAB WIRES PVT. LTD.**

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire Inner sheathed, GI Steel Wire Round/Strip Armoured PVC Outer Sheathed Instrumentation Cables

INDIVIDUAL & OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	2	0.5	132	0.75	151	1	173	1.5	201	2.5	263
PAIR	3	0.5	161	0.75	182	1	213	1.5	263	2.5	364
PAIR	4	0.5	191	0.75	222	1	263	1.5	323	2.5	454
PAIR	5	0.5	232	0.75	273	1	323	1.5	383	2.5	546
PAIR	6	0.5	263	0.75	312	1	372	1.5	454	2.5	645
PAIR	7	0.5	293	0.75	344	1	414	1.5	504	2.5	736
PAIR	8	0.5	323	0.75	393	1	474	1.5	586	2.5	826
PAIR	10	0.5	393	0.75	474	1	576	1.5	717	2.5	1030
PAIR	12	0.5	454	0.75	546	1	666	1.5	826	2.5	1210
PAIR	14	0.5	514	0.75	627	1	766	1.5	949	2.5	1381
PAIR	16	0.5	576	0.75	707	1	858	1.5	1071	2.5	1574
PAIR	19	0.5	655	0.75	809	1	999	1.5	1250	2.5	1845
PAIR	24	0.5	826	0.75	1008	1	1250	1.5	1584	2.5	2321
TRIAD	2	0.5	190	0.75	202	1	235	1.5	274	2.5	371
TRIAD	3	0.5	236	0.75	258	1	305	1.5	363	2.5	499
TRIAD	4	0.5	286	0.75	317	1	381	1.5	444	2.5	641
TRIAD	5	0.5	339	0.75	377	1	454	1.5	540	2.5	776
TRIAD	6	0.5	389	0.75	428	1	524	1.5	631	2.5	911
TRIAD	7	0.5	431	0.75	479	1	588	1.5	712	2.5	1034
TRIAD	8	0.5	478	0.75	542	1	665	1.5	814	2.5	1179
TRIAD	10	0.5	582	0.75	660	1	814	1.5	995	2.5	1467
TRIAD	12	0.5	672	0.75	766	1	950	1.5	1160	2.5	1723
TRIAD	14	0.5	755	0.75	874	1	1086	1.5	1338	2.5	1982
TRIAD	16	0.5	848	0.75	976	1	1223	1.5	1512	2.5	2242
TRIAD	19	0.5	981	0.75	1136	1	1424	1.5	1775	2.5	2631
TRIAD	24	0.5	1229	0.75	1433	1	1789	1.5	2222	2.5	3331



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up together with Al Mylar/Drain Wire Inner sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

INDIVIDUAL & OVERALL SHIEDED - UNARMoured INSTRUMENTATION CABLES

Type	No.	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr	Size	Rate / mtr
PAIR	2	0.5	93	0.75	109	1	132	1.5	163	2.5	229
PAIR	3	0.5	119	0.75	151	1	185	1.5	229	2.5	327
PAIR	4	0.5	151	0.75	185	1	229	1.5	294	2.5	424
PAIR	5	0.5	185	0.75	229	1	284	1.5	359	2.5	522
PAIR	6	0.5	217	0.75	273	1	338	1.5	424	2.5	621
PAIR	7	0.5	250	0.75	304	1	381	1.5	479	2.5	707
PAIR	8	0.5	284	0.75	347	1	435	1.5	554	2.5	816
PAIR	10	0.5	347	0.75	435	1	544	1.5	685	2.5	999
PAIR	12	0.5	403	0.75	512	1	630	1.5	802	2.5	1195
PAIR	14	0.5	479	0.75	587	1	739	1.5	934	2.5	1381
PAIR	16	0.5	533	0.75	663	1	826	1.5	1065	2.5	1575
PAIR	19	0.5	621	0.75	782	1	977	1.5	1249	2.5	1859
PAIR	24	0.5	782	0.75	977	1	1229	1.5	1575	2.5	2336
TRIAD	2	0.5	128	0.75	145	1	177	1.5	222	2.5	320
TRIAD	3	0.5	171	0.75	199	1	245	1.5	310	2.5	454
TRIAD	4	0.5	216	0.75	254	1	315	1.5	402	2.5	596
TRIAD	5	0.5	262	0.75	307	1	383	1.5	491	2.5	734
TRIAD	6	0.5	305	0.75	363	1	453	1.5	589	2.5	871
TRIAD	7	0.5	345	0.75	412	1	518	1.5	674	2.5	1001
TRIAD	8	0.5	392	0.75	477	1	596	1.5	769	2.5	1143
TRIAD	10	0.5	491	0.75	586	1	736	1.5	951	2.5	1430
TRIAD	12	0.5	575	0.75	689	1	868	1.5	1123	2.5	1695
TRIAD	14	0.5	660	0.75	794	1	1001	1.5	1299	2.5	1962
TRIAD	16	0.5	745	0.75	899	1	1137	1.5	1477	2.5	2230
TRIAD	19	0.5	871	0.75	1054	1	1336	1.5	1749	2.5	2610
TRIAD	24	0.5	1091	0.75	1334	1	1689	1.5	2198	2.5	3307



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

ANNEALED TINNED COPPER CONDUCTOR , EPR INSULATED, PCP OUTERSHEATHED ELASTOMERIC CABLE (Rate Per Mtr)

Cable Size in sq.mm	1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core
4	141	336	416	516	741	857	925
6	218	500	627	815	1041	1155	1258
10	332	779	984	1244	1617	1805	1975
16	471	1090	1413	1799	2352	2598	2871
25	691	1623	2090	2693	3462	4246	4533
35	923	2092	2785	3527	4702	5535	6139
50	1277	2924	3851	4889	6403	7737	8603
70	1714	3835	5074	6506			
95	2269	5011	6704	8584			
120	2820	6225	8318	10695			
150	3482	7620	10225	13166			
185	4258	9260	12486	16128			
240	5484	11804	15962	20637			
300	6731	14585	19758	25559			
400	8840	18993	25845	33534			
500	10995						
630	13561						

ANNEALED TINNED COPPER CONDUCTOR , EPR INSULATED, PCP OUTERSHEATHED ELASTOMERIC CABLE (Rate Per Mtr)

Number of Cores	1.5 Sq.mm.	2.5 Sq.mm.		Number of Cores	1.5 Sq.mm.	2.5 Sq.mm.
1	82	106		14	945	1269
2	204	272		16	1045	1411
3	248	329		19	1185	1615
4	302	403		20	1257	1779
5	347	462		24	1526	2167
6	415	555		25	1565	2227
7	439	596		27	1657	2364
8	501	797		30	1859	2704
10	725	995		36	2323	3152
12	815	1128		37	2347	3193



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

ANNEALED TINNED COPPER CONDUCTOR , EPR INSULATED, CSP OUTERSHEATHED ELASTOMERIC CABLE (Rate Per Mtr)

Cable Size in sq.mm	1 Core	2 Core	3 Core	4 Core	5 Core	6 Core	7 Core
4	149	361	441	543	784	902	969
6	232	541	668	865	881	1210	1053
10	350	839	1043	1314	1364	1877	1644
16	494	1163	1490	1884	1969	2682	2371
25	719	1729	2197	2813	2958	4366	3850
35	956	2219	2911	3665	4013	5689	5208
50	1318	3085	4010	5064	5439	7942	7288
70	1762	4027	5262	6713			
95	2328	5245	6936	8838			
120	2890	6507	8589	10996			
150	3563	7951	10541	13516			
185	4351	9650	12864	16549			
240	5592	12285	16425	21149			
300	6849	15168	20315	26174			
400	8984	19715	26530	34295			
500	11159						
630	13738						

ANNEALED TINNED COPPER CONDUCTOR , EPR INSULATED, CSP OUTERSHEATHED ELASTOMERIC CABLE (Rate Per Mtr)

Number of Cores	1.5 Sq.mm.	2.5 Sq.mm.		Number of Cores	1.5 Sq.mm.	2.5 Sq.mm.
1	88	112		14	1007	1337
2	224	295		16	1109	1484
3	269	352		19	1254	1692
4	324	428		20	1328	1868
5	370	488		24	1615	2269
6	440	585		25	1655	2328
7	464	625		27	1749	2466
8	528	845		30	1955	2832
10	776	1057		36	2448	3290
12	866	1192		37	2472	3331



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB BRAND JELLY FILLED TELEPHONE CABLES, SOLID ANNEALED COPPER, POLYTHENE INSULATED, PETROLEUM JELLY FILLED WITH POLY-AL LAMINATE MOISTURE BARRIER, POLYTHENE SHEATHED, UNARMOURED POLYTHENE JACKETED TELEPHONE CABLES AS PER DOT/ POLYCAB SPECIFICATION

SIZE	5 PAIR	10 PAIR	20 PAIR	50 PAIR	100 PAIR	200 PAIR
0.5	71	106	166	372	714	1542

POLYCAB BRAND JELLY FILLED TELEPHONE CABLES, SOLID ANNEALED COPPER, POLYTHENE INSULATED, PETROLEUM JELLY FILLED WITH POLY-AL LAMINATE MOISTURE BARRIER, POLYTHENE SHEATHED, G.S.TAPE ARMOURED POLYTHENE JACKETED TELEPHONE CABLES AS PER DOT/ POLYCAB SPECIFICATION

SIZE	5 PAIR	10 PAIR	20 PAIR	50 PAIR	100 PAIR	200 PAIR
0.5	129	159	234	457	809	1746

**POLYCAB WIRES PVT. LTD.**

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB RS 485 CABLES (Armoured)500 V, Str. Cu/ Polyethylene Ins/ Pairs Overall shielded with Al-mylar tape along with 0.5 mm² ATC Drain Wire & Tinned Annealed copper wire braid (80% Coverage) / Extr. PVC ST1/ Armoured/ PVC ST1 sheathed Cable

Pairs	Size in Guage	Size in Sq.mm.	Rs./Mtr.
1 Pair	17 AWG	1.04	183
	18 AWG	0.82	167
	20 AWG	0.52	142
	22 AWG	0.33	128
	24 AWG	0.20	116
2 Pair	17 AWG	1.04	293
	18 AWG	0.82	266
	20 AWG	0.52	215
	22 AWG	0.33	189
	24 AWG	0.20	170

POLYCAB RS 485 CABLES (Un Armoured)500 V, Str. Cu/ Polyethylene Ins/ Pairs Overall shielded with Al-mylar tape along with 0.5 mm² ATC Drain Wire & Tinned Annealed copper wire braid (80% Coverage) / UnArmoured/ PVC ST1 sheathed Cable

Size	Size in Guage	Size in Sq.mm.	Rs./Mtr.
1 Pair	17 AWG	1.04	118
	18 AWG	0.82	106
	20 AWG	0.52	85
	22 AWG	0.33	74
	24 AWG	0.20	66
2 Pair	17 AWG	1.04	203
	18 AWG	0.82	180
	20 AWG	0.52	139
	22 AWG	0.33	118
	24 AWG	0.20	102

**POLYCAB WIRES PVT. LTD.**

LDC List Price No. 05/2017-18 Dtd 1st November 2017

POLYCAB RS 485 CABLES (Armoured)500 V, Str. Cu/ Polyethylene Ins/ Pairs Overall shielded with Al-mylar tape along with 0.5 mm² ATC Drain Wire & Tinned Annealed copper wire braid (80% Coverage) / LSZH Extr. PVC ST1/ Armoured/ LSZH sheathed Cable

Pairs	Size in Guage	Size in Sq.mm.	Rs./Mtr.
1 Pair	17 AWG	1.04	217
	18 AWG	0.82	202
	20 AWG	0.52	174
	22 AWG	0.33	159
	24 AWG	0.20	146
2 Pair	17 AWG	1.04	340
	18 AWG	0.82	312
	20 AWG	0.52	258
	22 AWG	0.33	228
	24 AWG	0.20	208

POLYCAB RS 485 CABLES (Un Armoured)500 V, Str. Cu/ Polyethylene Ins/ Pairs Overall shielded with Al-mylar tape along with 0.5 mm² ATC Drain Wire & Tinned Annealed copper wire braid (80% Coverage) / UnArmoured/ LSZH sheathed Cable

Size	Size in Guage	Size in Sq.mm.	Rs./Mtr.
1 Pair	17 AWG	1.04	135
	18 AWG	0.82	123
	20 AWG	0.52	102
	22 AWG	0.33	89
	24 AWG	0.20	80
2 Pair	17 AWG	1.04	232
	18 AWG	0.82	207
	20 AWG	0.52	163
	22 AWG	0.33	141
	24 AWG	0.20	122



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

**Stranded Annealed Bare Copper Conductor /950° Mica Tape Wrapped/Xlpe Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/FRLS Inner Sheathed/GI Wire Strip Armoured/ FRLS Outersheathed
Fire Survival Cables**

Fire Survival Cables

Size in Sq.mm.	Price/Mtr.			
	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	263	330		404
2.5	329	420		522
4	374	490		618
6	484	649		825
10	684	933		1202
16	903	1287		1697
25	1280	1836	2213	2413
35	1694	2449	2836	3234
50	2224	3243	3806	4295
70	3083	4516	5289	5982
95	4017	5901	6900	7824
120	4989	7363	8781	9778
150	6102	9020	10431	11970
185	7527	11144	13055	14785
240	9560	14183	16585	18833
300	11830	17558	20501	23338
400	15385	22863	26511	30390



POLYCAB WIRES PVT. LTD.

LDC List Price No. 05/2017-18 Dtd 1st November 2017

Stranded Annealed Bare Copper Conductor /950° Mica Tape Wrapped/Xlpe Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/Zero Halogen Inner Sheathed/GI Wire Strip Armoured/ Zero Halogen Outsheathed Fire Survival Cables

Fire Survival Cables

Size in Sq.mm.	Price/Mtr.			
	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	305	374		454
2.5	372	467		573
4	417	536		668
6	530	699		880
10	736	990		1262
16	953	1342		1766
25	1343	1905	2288	2493
35	1762	2523	2918	3322
50	2301	3327	3899	4402
70	3175	4624	5408	6109
95	4121	6017	7028	7960
120	5099	7489	8933	9944
150	6233	9175	10605	12165
185	7679	11328	13262	15010
240	9740	14404	16836	19110
300	12042	17815	20790	23668
400	15649	23193	26884	30798



Stranded Annealed Bare Copper Conductor /950° Mica Tape Wrapped/Cross Linkable Zero Halogen Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/Zero Halogen Inner Sheathed/GI Wire Strip Armoured/ Zero Halogen Outersheathed Fire Survival Cables

Fire Survival Cables

Size in Sq.mm.	Price/Mtr.			
	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	317	394		479
2.5	387	490		603
4	433	559		698
6	548	726		916
10	757	1022		1304
16	978	1379		1814
25	1381	1960	2356	2566
35	1804	2587	2994	3407
50	2355	3408	3998	4510
70	3246	4728	5535	6250
95	4201	6134	7170	8118
120	5195	7631	9111	10135
150	6357	9362	10824	12411
185	7836	11564	13537	15325
240	9929	14690	17168	19489
300	12266	18149	21187	24115
400	15927	23611	27380	31354